

# Package: blake3r (via r-universe)

September 13, 2024

**Title** Blake3 Hasher

**Version** 0.0.1

**Description** Calculate blake3 hashes on files using rust's reference blake3 implementation.

**License** MIT + file LICENSE

**Encoding** UTF-8

**Roxygen** list(markdown = TRUE)

**RoxygenNote** 7.2.3

**Config/rextendr/version** 0.3.1

**SystemRequirements** Cargo (Rust's package manager), rustc

**Suggests** testthat (>= 3.0.0), withr

**Config/testthat/edition** 3

**Repository** <https://a2-ai.r-universe.dev>

**RemoteUrl** <https://github.com/a2-ai/blake3r>

**RemoteRef** HEAD

**RemoteSha** bf28983f6be1da83de3e2b4e3ec1f06ab40a9dac

## Contents

hash_file_with_blake3 . . . . .	1
<b>Index</b>	<b>3</b>

---

hash\_file\_with\_blake3 *hash a file with the blake3 algorithm*

---

## Description

hash a file with the blake3 algorithm

**Usage**

```
hash_file_with_blake3(file, memmap = TRUE, parallelize = TRUE)
```

**Arguments**

file	path to file
memmap	whether to use memory mapping
parallelize	use parallel hash

# Index

`hash_file_with_blake3`, 1